# AutoCreaser Pro 33A

## Automatic Creasing and Perforating Machine

### Key product features:

- New 'QuickBlade' creasing blade
- 7" SmartScreen touch screen
- Intuitive and easy to use
- Fully automatic
- Up to 16 creases per sheet
- Takes stock up to 0.4mm (approx 400 gsm)*
- Rule and matrix guaranteed for life
- 8500 sheets per hour
- 50 alpha numeric memory
- Adjustable crease depth & square
- Long length and cross perforation
- Optional cross and part perforation kit

The AutoCreaser Pro 33A provides the complete solution to the problem of cracking that occurs when folding digitally printed output. It is equally effective in dealing with conventionally printed card, laminates or cross-grained stock.

Using the SmartScreen touch screen is simplicity itself. Key in the sheet length (popular sizes are pre-set), touch the fold type for the finished product (letter, gate etc) and press the green button. The AutoCreaser Pro 33A will automatically calculate where the creases need to be and set them accordingly. Any minor changes to the crease position can be made by touching an arrow in the relevant direction.

The AutoCreaser Pro 33 runs at 8,500 A4 sheets per hour, and 11,000 A5 sheets per hour. Now fitted with a NEW 'QuickBlade' creasing blade that can easily changed in a few seconds without needing any tools, making it our most productive creaser to date.

The AutoCreaser Pro 33A has the new Morgana PosiFeed feeding system. The drum stops as the vacuum pulls the sheet down before the drum begins to feed. This significant change will enable the feeder to be piled higher and feed the most difficult of stocks.

All settings and adjustments are made using the new SmartScreen and as only symbols are used, operation couldn't be simpler. An alpha-numeric memory allows up to 50 jobs to be stored and named as you choose. This makes job recall much easier as you can use your own job name and numbers for storage.

Any changes to the suction drum, feed method, crease position and engineering settings are all made through the SmartScreen which has been developed and designed to make the AutoCreaser Pro 33A the easiest machine to operate whilst offering levels of sophistication never before seen at this price point.

The optional perforation kit gives the ability to perforate along the direction of sheet travel, cross perforate and part cross perforate, widening the range of applications the AutoCreaser can produce, this includes vouchers and tear off tickets.

# AutoCreaser Pro 33A

## Automatic Creasing and Perforating Machine



## Technical specifications

| | |
|---|---|
| Maximum sheet size | 900mm x 330mm |
| Minimum sheet size | 210mm x 140mm / 210mm x 100mm with optional narrow sheet guide |
| Maximum paper thickness | 0.4mm (approx 400 gsm)* including laminated material |
| Minimum paper thickness | 0.11mm (approx 80gsm)* |
| Maximum number of creases per sheet | 16 |
| Maximum number programmed applications | Up to 50 |
| Minimum repeat crease distance | 1mm (depending on paper weight) |
| Minimum crease distance from lead edge | 2.5mm |
| Minimum crease distance from tail edge | 35mm |
| Speed per hour (A4) | 8500 sph (A4), 11,000 sph |
| Dimensions | L 1917mm x W 522mm x H 1224mm |
| Weight | 121kgs (+ 50Kgs packing) |
| Power requirement | 240v 50/60hz |
| | |
| Options | Narrow creasing blade |
| | Narrow sheet guide |
| | AutoFold Pro folding unit |
| | Cross and part perforation kit |

Note: *the production speed varies according to material size and the number of folds on the sheet

*Disclaimer As part of our continued product improvement plan, specifications and information published here are subject to change without notice. All specifications are dependent on application, type of stock, temperature, RH and print engine used. Specifications quoted were measured on uncoated and unprinted stock. E & OE.

## NEOSYS VIETLOI COMPANY LIMITED

Showroom: No.26B, Street 10, Thao Dien Ward, Dist.2, HCMC, Vietnam
HN Branch: 3rd Floor, No.6, Lane 2, Quan Ngua St., Ba Dinh Dist., Hanoi, Vietnam
Tel: (+8428) 22532772/ 25532773 - Fax: (+8428) 22532771
Website: www.neosys-vietloi.com.vn
Email: info@neosys-vietloi.com.vn
Hotline: 0902 886 117